

PROPERTY DISCLOSURE - RESIDENTIAL ONLY

New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

The following answers and explanations are true and complete to the best of SELLER'S knowledge. This statement has been prepared to assist prospective BUYERS in evaluating SELLER'S property. This disclosure is not a warranty of any kind by the SELLER, or any real estate FIRM representing the SELLER, and is not a substitute for any inspection by the BUYER. SELLERS authorize FIRM in this transaction to disclose the information in this statement to other real estate agents and to prospective buyers of this property.

NOTICE TO SELLER(S): COMPLETE ALL INFORMATION AND STATE NOT APPLICABLE OR UNKNOWN AS APPROPRIATE. IF ANY OF THE INFORMATION IN THIS PROPERTY DISCLOSURE FORM CHANGES FROM THE DATE OF COMPLETION, YOU ARE TO NOTIFY THE LISTING FIRM PROMPTLY IN WRITING.

1. **SELLER:** Shawn & Kelly McClintock

2. **PROPERTY LOCATION:** 79 Thunder Rd, Fremont, NH 03044

3. **CONDOMINIUM, CO-OP, PUD DISCLOSURE RIDER OR MULTIFAMILY DISCLOSURE RIDER ATTACHED?** Yes No

4. **SELLER:** has has not occupied the property for 3 years.

5. WATER SUPPLY

Please answer all questions regardless of type of water supply.

a. TYPE OF SYSTEM: Public Private Seasonal Unknown
 Drilled Dug Other _____

b. INSTALLATION: Location: Backyard
Installed By: Builder Date of Installation: Spring 2018
What is the source of your information? Previous property disclosure

c. USE: Number of persons currently using the system: 4
Does system supply water for more than one household? Yes No

d. MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water systems?
Pump: Yes No N/A Quantity: Yes No
Quality: Yes No Unknown
If YES to any question, please explain in Comments below or with attachment.

e. WATER TEST: Have you had the water tested? Yes No Date of most recent test Feb 2023
If YES to any question, please explain in Comments below or with attachment.
Are you aware of any test results reported as unsatisfactory or satisfactory with notations? Yes No
If YES, are test results available? Yes No
What steps were taken to remedy the problem? _____
COMMENTS:

Water was tested again when the new filtration system was installed Mar 2025, but no written report.

6. SEWAGE DISPOSAL SYSTEM

a. TYPE OF SYSTEM: Public: Yes No Community/Shared: Yes No
Private: Yes No Unknown
Septic Design Available: Yes No

b. IF PUBLIC OR COMMUNITY/SHARED
Have you experienced any problems such as line or other malfunctions? Yes No
What steps were taken to remedy the problem? _____

c. IF PRIVATE:
TANK: Septic Tank Holding Tank Cesspool Unknown Other _____
Tank Size _____ Gal. Unknown Other 4BR
Tank Type Concrete Metal Unknown Other _____
Location: Front yard Location Unknown. Date of Installation: 2018
Date of Last Servicing: Mar 2025 Name of Company Servicing Tank: Kent Clean Septic Service
Have you experienced any malfunctions? Yes No
COMMENTS: Service was a pump out

SELLER(S) INITIALS SM / KM BUYER(S) INITIALS _____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY

New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 79 Thunder Rd, Fremont, NH 03044

d. LEACH FIELD: Yes No Other _____
IF YES, Location: Front lawn Size: _____ Unknown
Date of installation of leach field: Around Nov 2017 Installed By: _____
Have you experienced any malfunctions? Yes No
Comments: _____

e. IS SYSTEM LOCATED ON "DEVELOPED WATERFRONT" as described in RSA 485-A? Yes No Unknown
IF YES, has a septic system evaluation been done within 180 days? Yes No Unknown
Date of Evaluation: _____
Comments: _____

FOR ADDITIONAL INFORMATION THE BUYER IS ENCOURAGED TO CONTACT THE NH DEPARTMENT OF ENVIRONMENTAL SERVICES SUBSURFACE SYSTEMS BUREAU, 603-271-3501

7. INSULATION	LOCATION	Yes	No	Unknown	If YES, Type	Amount	Unknown
	Attic or Cap	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>
	Crawl Space	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Previous home inspections shows:		<input type="checkbox"/>
	Exterior Walls	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Fiberglass batt. Blown in.		<input type="checkbox"/>
	Floors	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>			<input type="checkbox"/>

8. HAZARDOUS MATERIAL

a. UNDERGROUND STORAGE TANKS - Current or previously existing:
Are you aware of any past or present underground storage tanks on your property? Yes No Unknown
IF YES: Are tanks currently in use? Yes No
IF NO: How long have tank(s) been out of service? _____
What materials are, or were, stored in the tank(s)? _____
Age of tank(s): _____ Size of tank(s): _____
Location: _____
Are you aware of any past or present problems such as leakage, etc? Yes No
Comments: _____
If tanks are no longer in use, have the tanks been removed? Yes No Unknown
Comments: _____

b. ASBESTOS - Current or previously existing:
As insulation on the heating system pipes or ducts? Yes No Unknown
In the siding? Yes No Unknown In the roofing shingles? Yes No Unknown
In flooring tiles? Yes No Unknown Other _____ Yes No Unknown
If YES, Source of information: _____
Comments: _____

c. RADON/AIR - Current or previously existing:
Has the property been tested? Yes No Unknown
If YES: Date: 6/30/25 By: Alpha Energy Laboratories
Results: <1.8 pCi/L If applicable, what remedial steps were taken? _____
Has the property been tested since remedial steps? Yes No
Are test results available? Yes No
Comments: On 2/15/23, test results were 3.4 Pci/l. Even though results were below EPA levels, Radon Air system was installed after home purchase.

SELLER(S) INITIALS  / 
04/16/26 8:41 PM EDT / 04/16/26 8:42 PM EDT

BUYER(S) INITIALS _____ / _____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY

New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 79 Thunder Rd, Fremont, NH 03044

- d. RADON/WATER - Current or previously existing:**
 Has the property been tested? Yes No Unknown
 If YES: Date: Feb 2023 By: Nelson Analytical Lab
 Results: 2560 pCi/L If applicable, what remedial steps were taken? _____
 Has the property been tested since remedial steps? Yes No
 Are test results available? Yes No Comments: _____
- e. LEAD-BASED PAINT - Current or previously existing:**
 Are you aware of lead-based paint on this property? Yes No
 If YES: Source of information: _____
 Are you aware of any cracking, peeling, or flaking lead-based paint? Yes No
 Comments: _____
- f. Are you aware of any other hazardous materials?** Yes No
 If YES: Source of information: _____
 Comments: _____

9. GENERAL INFORMATION

- a. Is this property subject to liens, encroachments, easements, rights-of-way, leases, restrictive covenants, attachments, life estates, or right of first refusal?**
 Yes No Unknown If YES, Explain: Builder reported conservation easement 150' from river
 What is your source of information? Previous property disclosure
- b. Is this property subject to special assessments, betterment fees, association fees, or any other transferable fees?**
 Yes No Unknown If YES, Explain: _____
 What is your source of information? Previous property disclosure
- c. Are you aware of any onsite landfills or any other factors, such as soil, flooding, drainage, etc?**
 Yes No If YES, Explain: _____
- d. Are you aware of any problems with other buildings on the property?**
 Yes No If YES, Explain: _____
- e. Are you receiving a tax exemption or reduction for this property for any reason including but not limited to current use, land conservation, etc.?**
 Yes No Unknown If YES, Explain: _____
- f. Is this property located in a Federally Designated Flood Hazard Zone?**
 Yes No Unknown Comments: _____
- g. Has the property been surveyed?**
 Yes No Unknown If YES, By: S&H Land Services
 If YES, is survey available? Yes No Unknown
- h. How is the property zoned?** Residential
- i. Heating System** Age: 8 Type: Forced hot air Fuel: Propane Tank Location: Front yard
 Owner of Tank: Haffners
 Annual Fuel Consumption: _____ Price: Approx \$4k Gallons: _____
 Date system was last serviced and by whom? Heritage Home Services, Oct 2024
 Secondary Heat Systems: _____
 Comments: _____
- j. Roof** Age: 8 Type of Roof Covering: Asphalt shingle
 Moisture or leakage: No
 Comments: _____

SELLER(S) INITIALS SM / KM BUYER(S) INITIALS _____ / _____
04/16/26 dotloop verified 04/16/26 dotloop verified

PROPERTY DISCLOSURE - RESIDENTIAL ONLY

New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 79 Thunder Rd, Fremont, NH 03044

k. Foundation/Basement Full Partial Other: _____ Type: Concrete
Moisture or leakage: No
Comments: _____

l. Chimney(s) How Many? 0 Lined? _____ Last Cleaned: _____ Problems? _____
Comments: _____

m. Plumbing Type: PVC Age: 8
Comments: _____

n. Domestic Hot Water Age: 8 Type: Inline/tankless Gallons: 9.8 GPM

o. Electrical System # of Amps 300 Circuit Breakers Fuses
Comments: 200 amp main, 100 amp sub
Solar Panels: Leased Owned If leased, explain terms of agreement: _____
Comments: _____

p. Modifications: Are you aware of any modifications or repairs made without the necessary permits? Yes No
If Yes, please explain: _____

q. Pest Infestation: Are you aware of any past or present pest infestations? Yes No Type: _____
Comments: Quarterly preventative maintenance program through JP Pest Services.

r. Methamphetamine Production: Do you have knowledge of methamphetamine production ever occurring on the property?
(Per RSA 477:4-g) Yes No If YES, please explain: _____

s. Air Conditioning Type: Central Age: 8 Date Last Serviced and by whom: Paul the Plumber, July 2023
Comments: _____

t. Pool Age: _____ Heated: Yes No Type: _____ Last Date of Service: _____
By Whom: _____

u. Generator Portable: Yes No Whole House: Yes No Kw/Size: 10 Last Date of Service: Feb 2026
If Portable: Included Negotiable
Comments: Briggs & Stratton 10kW Fortress generator installed July 2023. Handles 16 circuits.

v. Internet Type Currently Used at Property: Xfinity

w. Other (e.g. Alarm System, Irrigation System, etc.) Irrigation in good working order with remote app capability.
Comments: Existing alarm system not in use.

NOTICE TO PURCHASER(S): PRIOR TO SETTLEMENT YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO ADJACENT PARCELS IN ACCORDANCE WITH THE TERMS AND CONDITIONS AS MAY BE CONTAINED IN PURCHASE AND SALES AGREEMENT AND DEPOSIT RECEIPT. YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO INFORMATION ON ANY SEXUAL OFFENDERS REGISTERED UNDER NH RSA CHAPTER 651-B. SUCH INFORMATION MAY BE OBTAINED BY CONTACTING THE LOCAL POLICE DEPARTMENT.

SELLER(S) INITIALS SM / KM
04/16/26 04/16/26

BUYER(S) INITIALS _____ / _____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY

New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 79 Thunder Rd, Fremont, NH 03044

10. ADDITIONAL INFORMATION

a. ATTACHMENT EXPLAINING CURRENT PROBLEMS, PAST REPAIRS, OR ADDITIONAL INFORMATION?
 Yes No

b. ADDITIONAL COMMENTS:

ACKNOWLEDGEMENTS:

SELLER ACKNOWLEDGES THAT HE/SHE HAS PROVIDED THE ABOVE INFORMATION AND THAT SUCH INFORMATION IS ACCURATE, TRUE AND COMPLETE TO THE BEST OF HIS/HER KNOWLEDGE. SELLER AUTHORIZES THE LISTING BROKER TO DISCLOSE THE INFORMATION CONTAINED HEREIN TO OTHER BROKERS AND PROSPECTIVE PURCHASERS.

SELLER(S) MAY BE RESPONSIBLE AND LIABLE FOR ANY FAILURE TO PROVIDE KNOWN INFORMATION TO BUYER(S).

Shawn McClintock dotloop verified 04/16/26 8:41 PM EDT BILL-RTA5-FIWZ-SOXC
SELLER DATE

Kelly McClintock dotloop verified 04/16/26 8:42 PM EDT V9CN-GMRP-UFWI-INRV
SELLER DATE

BUYER ACKNOWLEDGES RECEIPT OF THIS PROPERTY DISCLOSURE RIDER AND HEREBY UNDERSTANDS THE PRECEDING INFORMATION WAS PROVIDED BY SELLER AND IS NOT GUARANTEED BY BROKER/AGENT. THIS DISCLOSURE STATEMENT IS NOT A REPRESENTATION, WARRANTY OR GUARANTY AS TO THE CONDITION OF THE PROPERTY BY EITHER SELLER OR BROKER. BUYER IS ENCOURAGED TO UNDERTAKE HIS/HER OWN INSPECTIONS AND INVESTIGATIONS VIA LEGAL COUNSEL, HOME, STRUCTURAL OR OTHER PROFESSIONAL AND QUALIFIED ADVISORS AND TO INDEPENDENTLY VERIFY INFORMATION DIRECTLY WITH THE TOWN OR MUNICIPALITY.

BUYER DATE

BUYER DATE

SELLER(S) INITIALS *SM* / *KM*
dotloop verified 04/16/26 8:41 PM EDT dotloop verified 04/16/26 8:42 PM EDT

BUYER(S) INITIALS /